



2GO! SYSTEM



Two wires that give a new twist to your life.

Today, all you need are two wires to obtain all you want from a video doorphone system. With the new 2GO! system, you can go beyond basic functions and add color (the color TV camera is standard), connect to 4 monitors in parallel in the apartment without having to install an

extra power supply unit, without forgetting the possibility of intercommunication of up to eight calls in the apartment and between apartments. With just 1 power supply unit in the system and 2 non-polarized wires in any part of the building, you can install up to 32-user systems with

up to 3 audio/video call stations. 2GO! provides the heart of the system; it's then up to you to dress it up, choosing from the full array of monitors in the Urmet Domus catalogue. With 2GO!, your video doorphone system takes front stage.



2GO! SYSTEM

INTEGRATED SYSTEMS

INTEGRATED SYSTEMS/
DOOR OPENER SYSTEM



The video doorphone system with 2 non-polarized wires

There's no denying that 2GO! systems simplify life, also offering a suite of **absolutely genial features**. 2GO! is the simplest and also the most innovative solution available today.

First of all, you can use the two wires everywhere and connect **up to 32 users** without any difficulty. You can also install up to 4 monitors in parallel without extra power supply units.

To cater to all types of requirements, select the monitor you prefer from the best the Urmet catalogue has to offer: Sentry, Atlantico b/w or color. With 2GO! all you need is a **single 10 DIN module power supply unit** for the entire system. Other characteristics include call to the floor, the possibility of choosing between 6 ringers and a differentiated tone for different system calls.

No matter what you have come up with, it'll be a lot easier with just 2 wires.

If you have designed something very complex, Urmet 2GO! immediately makes it easy. The system is so versatile that it offers really interesting capabilities.


Such as the possibility of creating an **8-call mixed intercom system** (between different apartments and inside the same apartment). Or of activating **up to 3 entrance panels** without any relay, also of the principle-secondary type.

Without forgetting the possibility of programming cyclical surveillance on 4 external control TV cameras and **trouble-free interfacing with PABX** without adding wires in riser.

With also audio-video auto-activation. With 2GO! you can use the Sinthesi analogue entrance panel with digitizer. Because 2GO! offers you the best in the easiest and fastest way.



Handy, reduced-size distributor (4 x 4 cm).





2GO! SYSTEM

BASIC ELEMENTS




Ref. 1082/72



Ref. 1082/7



Ref. 1082/90



Ref. 1182

- X **Ref. 1082/72** The 2GO! video doorphone door speaker unit is complete with loudspeaker, microphone and color TV camera. It is equipped with 2 buttons to call 2 users. It is equal in size to 2 Sinthesi modules.
- X **Ref. 1082/7**** Doorphone door speaker unit. Complete with loudspeaker and microphone and is used as secondary in 2GO! systems; the installation must however include at least one door speaker unit 1082/72. It is equal in size to 1 Sinthesi module.
- X **Ref. 1082/20** 2GO! video power supply unit. Pre-engineered for fitting on DIN bar (10 modules). The only one present in the system, it supplies both bus and video power. Pre-engineered for 5-branch connection which may be outside stations or stair risers according to type of system. Power supply: 230Vac, 50Hz.
- X **Ref. 1704/701** Wall bracket kit for Sentry+ monitors 1704/1A and 1704/10A. Consisting of the bracket with operating electronics 1704/82 and single-user distributor 1082/51. Pre-engineered for call to the floor and for call repeat.
- X **Ref. 1702/701** Wall bracket kit for Atlantico b/w monitor 1702/1 and color 1702/40. Consisting of bracket with operating electronics 1702/82 and single-user distributor 1082/51. Pre-engineered for call to the floor and for call repeat. May also include key add-on 1082/96.
- X **Ref. 1082/80***** 2GO! special decoder. Used for activation of loads by users, opening of vehicle entranceways, switching on of stair lights or other forms of activation through closing/opening of a contact. Fitting on DIN bar (6 modules)
- X **Ref. 1038/17** 16-user expansion module. Small module to be connected to outside stations 1082/72 and Ref. 1082/7. To increase the number of call buttons that can be managed. Each expansion module controls 16 buttons.
- X **Ref. 1182*** 2GO! doorphone. With Atlantico styling, it comprises a door release key plus 3 keys for additional services or for intercom calls. It also features 3-position call regulation with mute function and mechanical on/off readout. Pre-engineered for call to the floor or for call repeat.
- X **Ref. 1782/501** 2GO! single-family video kit. The Kit includes:
Door speaker unit with TV camera
Embedding box with surround and module-holder frame 1145/62
Power supply unit on 10 DIN module bar 1082/20
1 Atlantico video doorphone system 1702/1 c/w bracket 1702/82

* Available from March 2005

** Available from April 2005

*** Available from May 2005

BASIC ELEMENTS

- X **Ref. 1782/502** Kit video Two-family 2GO!. The Kit includes:
Door speaker unit with TV camera
Embedding box with frame and module-holder frame 1145/62
power supply unit on 10 DIN module bar 1082/20
2 Atlantico video doorphones 1702/1 c/w bracket 1702/82
1 single-user distributor 1082/51
- X **Ref. 1082/90** 2GO! cable. 100-meter skein Consisting of 1-mm2 pair. Outer diameter 7 mm
- X **Ref. 1082/96** Add-on key module for Atlantico b/w and color monitors. To be used for the intercom service if more than 2 calls are required and to activate any additional services using special decoders. It is equipped with 6 buttons for these functions and also features a switching device and 2 leds for activation (and related readout) of the automatic door release and door open alert service.

SPARE PARTS

- X **Ref. 1704/82** Bracket for Sentry+ monitor 1704/1A and 1704/10A. Pre-engineered for call to the floor and for call repeat.
- X **Ref. 1702/82** Bracket for Atlantico b/w monitor 1702/1 and color 1702/40. Pre-engineered for call to the floor and for call repeat.
- X **Ref. 1082/51** Single-user distributor to be combined with brackets 1704/82 and 1702/82. Dimensions (wxhxd) 4 x 4 x 2 cm
- X **Ref. 1202/98** Digivoice wall bracket with coax for Atlantico b/w and color monitor. Makes it possible to set up Digivoice video installations using the b/w Atlantico monitor 1702/1 and color 1702/40. To be used with decoders 1038/35 and 1038/38.



Ref. 1782/501



Ref. 1082/51



Ref. 1082/80

INTEGRATED SYSTEMS/
DOOR OPENER SYSTEM